



LALOUNGE - CATALOGUE



our mission is simple:

**TO ENHANCE THE
EXPERIENCE OF A
HOME AND CREATE
THE DESIRED MOOD
IN A SUBTLE BUT
EFFICIENT MANNER**

Our experience in lighting design and technical lighting installation over the last decade shows that lighting is an often overlooked aspect of the construction design process.

Instead of over-lighting which results in higher installation and running costs as well as lack of atmosphere, we view effective lighting design like a beautiful painting with the ability to influence moods, perspectives and energy levels.

Everything is about light.
And the lighting.

WHAT WE DO

Lighting Design

Let LA Lounge take some of the pressure out of your next project. Our experienced design team will meet with you to discuss your vision and work with you to move it forward to a detailed, well communicated plan for your entire lighting scheme.

From initial concepts through to lighting schedules, lighting plans and site visits, LA Lounge will ensure that your project runs smoothly in accordance with your budget and time frames.

Lighting Products


You are welcome to visit our lighting showroom in Neutral Bay to view and experience first-hand our unique range of lighting products. From stunning, Australian custom made pendants and beautifully hand-crafted luminaires to sleek architectural light fittings, we have a light for every application.

Feel free to call in to take a look or book an appointment with one of our experienced designers to discuss your project in further detail.

Lighting, Automation and Electrical Design

Are you considering a home control system such as CBus, Dynalite or Dali? LA Lounge can assist you with your decision making process and provide lighting plans, schedules and full specifications for tender for your automation, lighting, AV and electrical systems.


Great design starts with an idea and accurately communicating that idea to everyone involved avoids costly mistakes and misunderstandings, so that you can realise the best possible design outcome for your project.





ROSE BAY PROJECT

Flattron . page 26





BRONTE PROJECT

Zoom Mini . page 27


VAUCLUSE PROJECT

Hush Round . page 15



SURRY HILLS PROJECT

Deep Cover Adj . page 10



SUMMARY

Confidential In-Set Range	Confidential In-Set Range	Confidential In-Set Range	Confidential In-Set Range	Blush Downlight Range	Impact Round Downlight	Latto Downlight Range	Wall Uplights	Low Level Lights / Step Lights	Surface Mounted Lights
10	12	14	16	18	20	22	23	24	26

Piccolo Range	Ceiling Surface Mounted Lights	Track Lighting	Xternal Range	Continuum Range	Miniature Lights	Knife Ceiling System	Controllers	Coming soon
28	30	31	32	34	36	37	38	39

To see our full range of lights, please go to www.lalounge.com.au

Confidential In-Set Range

DOWNLIGHTS

Beautifully hand-crafted gypsum lights.
The true trimless range.


Lighting Architects



DEEP COVER ADJ D15

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 840lm (10W) and 640lm (8W)
POWER: 10W, 8W on request
INPUT: 240V
ADJUSTABILITY: Adjustable
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: Ø135mm
DEPTH: 133mm (10W) and 112mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



DEEP DOUBLE COVER D17

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 1680lm (10W) and 1280lm (8W)
POWER: 2 x 10W, 8W on request
INPUT: 240V
ADJUSTABILITY: Adjustable
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 291mm x 173mm
DEPTH: 1150mm (10W) and 129mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



DEEP COVER FIX D14

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 840lm (10W) and 640lm (8W)
POWER: 10W, 8W on request
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 113mm x 113mm
DEPTH: 145mm (10W) and 124mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



DEEP TRIPLE COVER D18

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 2520lm (10W) and 1920lm (8W)
POWER: 3 x 10W, 8W on request
INPUT: 240V
ADJUSTABILITY: Adjustable
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 409mm x 173mm
DEPTH: 150mm (10W) and 129mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



CLEANER ROUND WP2

PRODUCT DESCRIPTION

FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 700lm (10W) and 500lm (8W)
POWER: 10W, 8W on request
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP44
CUT OUT: 128mm x 128mm
DEPTH: 154mm (10W) and 136mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



Confidential In-Set Range

DOWNLIGHTS

Beautifully hand-crafted gypsum lights.
The true trimless range.


Lighting Architects



AGENT 1 ADJ D4

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 840lm (10W) and 640lm (8W)
POWER: 10W, 8W on request
INPUT: 240V
ADJUSTABILITY: Adjustable
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 176mm x 176mm
DEPTH: 147mm (10W) and 126mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



AGENT 2 ADJ D5

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 1680lm (10W) and 1280lm (8W)
POWER: 2 x 10W, 8W on request
INPUT: 240V
ADJUSTABILITY: Adjustable
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 179mm x 291mm
DEPTH: 151mm (10W) and 130mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



AGENT 1 FIX D1

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 840lm (10W) and 640lm (8W)
POWER: 10W, 8W on request
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 106mm x 106mm
DEPTH: 143mm (10W) and 122mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



AGENT 3 ADJ D6

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 840lm (10W) and 640lm (8W)
POWER: 3 x 10W, 8W on request
INPUT: 240V
ADJUSTABILITY: Adjustable
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 409mm x 176mm
DEPTH: 151mm (10W) and 130mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



CLEANER SQUARE WP1

PRODUCT DESCRIPTION

FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 700lm (10W) and 500lm (8W)
POWER: 10W, 8W on request
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP44
CUT OUT: 138mm x 130mm
DEPTH: 156mm (10W) and 135mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



Confidential In-Set Range


LOW LEVEL WALL LIGHTS

Beautifully hand-crafted gypsum lights.
The true trimless range.

HUSH MINI ROUND B40

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 360lm
POWER: 3W
INPUT: 600mA
ADJUSTABILITY: Fixed
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 141mm x 71mm
DEPTH: 50mm. Allow 10mm more
DIMMABLE: In Dali Only
CRI: 90



HUSH ROUND B200

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 120lm
POWER: 1W
INPUT: 300mA
ADJUSTABILITY: Fixed
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 248mm x 163mm
DEPTH: 68mm. Allow 10mm more.
DIMMABLE: In Dali Only
CRI: 90



HUSH MINI SQUARE B41

PRODUCT DESCRIPTION





FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 180lm
POWER: 3W
INPUT: 600mA
ADJUSTABILITY: Fixed
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 141mm x 71mm
DEPTH: 50mm. Allow 10mm more
DIMMABLE: In Dali Only
CRI: 90



HUSH SQUARE B100

PRODUCT DESCRIPTION

FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 120lm
POWER: 1W
INPUT: 300mA
ADJUSTABILITY: Fixed
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 303mm x 111mm
DEPTH: 68mm. Allow 10mm more.
DIMMABLE: In Dali Only
CRI: 90



Confidential In-Set Range

UPLIGHTS, PIN LIGHTS AND CAN LIGHTS

Beautifully hand-crafted gypsum lights.
The true trimless range.


Lighting Architects



PEEP ROUND RW2

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 360lm
POWER: 3W
INPUT: 600mA
ADJUSTABILITY: Fixed
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 253mm x 213mm
DEPTH: 80mm. Allow 10mm more
DIMMABLE: In Dali Only
CRI: 90



SNOOP D300

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 360lm
POWER: 3W
INPUT: 600mA
ADJUSTABILITY: Fixed
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 123mm x 123mm
DEPTH: 60mm. Allow 10mm more in the ceiling.
DIMMABLE: In Dali Only
CRI: 90



PEEP SQUARE RW1

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 720lm
POWER: 6W
INPUT: 600mA
ADJUSTABILITY: Fixed
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 200mm x 255mm
DEPTH: 69mm. Allow 10mm more
DIMMABLE: In Dali Only
CRI: 90



SHAKE S22

PRODUCT DESCRIPTION


FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 425lm
POWER: 7W
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: Surface Mounted
DEPTH: 160mm
DIMMABLE: Yes
CRI: 95



ISPY D301

PRODUCT DESCRIPTION

FINISHES: Hand-Crafted Gypsum (Plaster/Gyprock)
LUMEN OUTPUT: 360lm
POWER: 3W
INPUT: 600mA
ADJUSTABILITY: Fixed
IP RATING: IP20 - For external use contact LA Lounge
CUT OUT: 123mm x 123mm
DEPTH: 40mm. Allow 10mm more in the ceiling.
DIMMABLE: In Dali Only
CRI: 90



Blush Range


DOWNLIGHTS

Affordable range of cast aluminium
downlights with high dimming parameters

BLUSH SLIM D71

PRODUCT DESCRIPTION


FINISHES: White. Custom colour on request.
LUMEN OUTPUT: 800lm
POWER: 12W
INPUT: 240V
ADJUSTABILITY: Adjustable
IP RATING: IP20
CUT OUT: Ø92mm
DEPTH: 95mm. Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



BLUSH MINI D72

PRODUCT DESCRIPTION


FINISHES: White. Custom colour on request.
LUMEN OUTPUT: 650lm
POWER: 7W
INPUT: 240V
ADJUSTABILITY: Adjustable
IP RATING: IP20
CUT OUT: Ø75mm
DEPTH: 52mm. Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



BLUSH STANDARD D70

PRODUCT DESCRIPTION


FINISHES: White. Custom colour on request.
LUMEN OUTPUT: 800lm
POWER: 12W
INPUT: 240V
ADJUSTABILITY: Adjustable
IP RATING: IP20
CUT OUT: Ø92mm
DEPTH: 88mm. Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



SUPER THIN FIXED D73

PRODUCT DESCRIPTION


FINISHES: White. Custom colour on request.
LUMEN OUTPUT: 720lm
POWER: 8W
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP40
CUT OUT: Ø75mm
DEPTH: 35mm. Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



BLUSH SQUARE D75

PRODUCT DESCRIPTION

FINISHES: White. Custom colour on request.
LUMEN OUTPUT: 800lm
POWER: 12W
INPUT: 240V
ADJUSTABILITY: Adjustable
IP RATING: IP20
CUT OUT: Ø92mm
DEPTH: 85mm. Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



Impact Range

DOWNLIGHTS

High quality aluminium downlights


Lighting Architects



IMPACT ROUND NEW D21

PRODUCT DESCRIPTION


FINISHES: White. Custom colour on request.
 LUMEN OUTPUT: 840lm (10W) and 640lm (8W)
 POWER: 10W. 8W on request
 INPUT: 240V - Driver local
 ADJUSTABILITY: Adjustable
 IP RATING: IP20 or IP44 with frosted glass diffuser
 CUT OUT: Ø83mm
 DEPTH: 98mm (10W) and 78mm (8W) Allow 10mm more in the ceiling.
 DIMMABLE: Yes
 CRI: 95



IMPACT SQUARE D22

PRODUCT DESCRIPTION


FINISHES: White. Custom colour on request.
 LUMEN OUTPUT: 840lm (10W) and 640lm (8W)
 POWER: 10W. 8W on request
 INPUT: 240V
 ADJUSTABILITY: Adjustable
 IP RATING: IP20 or IP44 with frosted glass diffuser
 CUT OUT: Ø86mm
 DEPTH: 106mm (10W) and 85mm (8W) Allow 10mm more in the ceiling.
 DIMMABLE: Yes
 CRI: 95



IMPACT DOUBLE ROUND D201

PRODUCT DESCRIPTION


FINISHES: White. Custom colour on request.
 LUMEN OUTPUT: 1680lm
 POWER: 2 x 10W
 INPUT: 240V
 ADJUSTABILITY: Adjustable
 IP RATING: IP20
 CUT OUT: 206mm x 100mm
 DEPTH: 123mm. Allow 10mm more in the ceiling.
 DIMMABLE: Yes
 CRI: 95



IMPACT DOUBLE SQUARE D200

PRODUCT DESCRIPTION

FINISHES: White. Custom colour on request.
 LUMEN OUTPUT: 1680lm (10W) and 1280lm (8W)
 POWER: 2 x 10W. 8W on request
 INPUT: 240V
 ADJUSTABILITY: Adjustable
 IP RATING: IP20 or IP44 with frosted glass diffuser
 CUT OUT: 160mm x 78mm
 DEPTH: 106mm (10W) and 85mm (8W) Allow 10mm more in the ceiling.
 DIMMABLE: Yes
 CRI: 95



Latto Range


DOWNLIGHTS

External downlights
made of solid brass or copper

LATTO ROUND XL13

PRODUCT DESCRIPTION


FINISHES: Brass, Copper. Custom colour on request
LUMEN OUTPUT: 840lm (10W) and 640lm (8W)
POWER: 10W. 8W on request
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP65
CUT OUT: Ø89mm
DEPTH: 88mm (10W) and 67mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95



LATTO SQUARE XL12

PRODUCT DESCRIPTION

FINISHES: Brass, Copper. Custom colour on request
LUMEN OUTPUT: 840lm (10W) and 640lm (8W)
POWER: 10W. 8W on request
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP65
CUT OUT: Ø89mm
DEPTH: 88mm (10W) and 67mm (8W) Allow 10mm more in the ceiling.
DIMMABLE: Yes
CRI: 95





Uplighters

DOWNLIGHTS

FIN 15 SW1

PRODUCT DESCRIPTION



FINISHES: White, Bronze, Black. Custom colour on request
LUMEN OUTPUT: 1050lm
POWER: 15W
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP56
CUT OUT: Surface Mounted
DEPTH: 220mm
DIMMABLE: Yes
CRI: 90



FIN 30 SW10

PRODUCT DESCRIPTION


FINISHES: White. Custom colour on request
LUMEN OUTPUT: 2000lm
POWER: 26W
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP20
CUT OUT: Surface Mounted
DEPTH: 210mm
DIMMABLE: Yes
CRI: 90



MINIMAL SINGLE SW16

PRODUCT DESCRIPTION


FINISHES: White. Custom colour on request
LUMEN OUTPUT: 1000lm
POWER: 10W
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP20
CUT OUT: Surface Mounted
DEPTH: 120mm
DIMMABLE: Not dimmable in Dali
CRI: 90



MINIMAL DOUBLE SW18

PRODUCT DESCRIPTION

FINISHES: White. Custom colour on request
LUMEN OUTPUT: 2000lm
POWER: 20W
INPUT: 240V
ADJUSTABILITY: Fixed
IP RATING: IP20
CUT OUT: Surface Mounted
DEPTH: 120mm
DIMMABLE: Not dimmable in Dali
CRI: 90




Low Level Wall Lights

STEP LIGHTS

SLIM JIM B10

PRODUCT DESCRIPTION



FINISHES: White, Bronze. Custom colour on request.
 LUMEN OUTPUT: 180lm
 POWER: 3W
 INPUT: 240V
 ADJUSTABILITY: Fixed asymmetric
 IP RATING: IP20
 CUT OUT: 65mm x 25mm (fitting only) and 75mm x 25mm (with wall box)
 DEPTH: 37mm (fitting only) and 52mm (with wall box)
 DIMMABLE: In Dali Only
 CRI: 90




REVEAL B5

PRODUCT DESCRIPTION

FINISHES: White. Custom colour on request.
 LUMEN OUTPUT: 260lm
 POWER: 3W
 INPUT: 700mA
 ADJUSTABILITY: Fixed asymmetric
 IP RATING: IP54
 CUT OUT: 85mm x 55mm (fitting only) and 190mm x 56mm (with wall box)
 DEPTH: 35mm (fitting only) and 55mm (with wall box)
 DIMMABLE: In Dali Only
 CRI: 90



SLIM JIM




REVEAL

SLIM SURFACE MOUNTED B11

PRODUCT DESCRIPTION


FINISHES: White, Black, Antique. Custom colour on request.
 LUMEN OUTPUT: 55lm
 POWER: 2W
 INPUT: DC 12V
 ADJUSTABILITY: Fixed
 IP RATING: IP67
 CUT OUT: Surface Mounted
 DEPTH: 15mm
 DIMMABLE: In Dali Only
 CRI: 90




SPLAY B4

PRODUCT DESCRIPTION

FINISHES: White, Bronze. Custom colour on request.
 LUMEN OUTPUT: 180lm
 POWER: 2W
 INPUT: 700mA
 ADJUSTABILITY: Fixed
 IP RATING: IP54
 CUT OUT: Ø73mm
 DEPTH: 25mm. Allow 10mm more
 DIMMABLE: In Dali Only
 CRI: 90



SLIM SURFACE MOUNTED




SPLAY

Wall Lights

LUMUS CURVE SW8

PRODUCT DESCRIPTION


FINISHES: White, Bronze. Custom colour on request.
 LUMEN OUTPUT: 500lm
 POWER: 6W
 INPUT: 240V
 ADJUSTABILITY: Fixed asymmetric
 IP RATING: IP54
 CUT OUT: Surface Mounted
 DEPTH: 100mm
 DIMMABLE: In Dali Only
 CRI: 90



ZOOM SW5

PRODUCT DESCRIPTION


FINISHES: Black, Bronze. Custom colour on request.
 LUMEN OUTPUT: 420lm
 POWER: 2x 3W
 INPUT: 240V
 ADJUSTABILITY: Adjustable
 IP RATING: IP54
 CUT OUT: Surface Mounted
 DEPTH: 65mm
 DIMMABLE: In Dali Only
 CRI: 90



FLATTRON SW3

PRODUCT DESCRIPTION


FINISHES: White, Bronze. Custom colour on request.
 LUMEN OUTPUT: 420lm
 POWER: 2x 3W
 INPUT: 240V
 ADJUSTABILITY: Adjustable
 IP RATING: IP54
 CUT OUT: Surface Mounted
 DEPTH: 160mm
 DIMMABLE: In Dali Only
 CRI: 90



ZOOM MINI SW6

PRODUCT DESCRIPTION


FINISHES: Black, Bronze, White. Custom colour on request.
 LUMEN OUTPUT: 420lm
 POWER: 2x 3W
 INPUT: 700mA
 ADJUSTABILITY: Adjustable
 IP RATING: IP54
 CUT OUT: Surface Mounted
 DEPTH: N/A
 DIMMABLE: In Dali Only
 CRI: 90



MUSE WW1

PRODUCT DESCRIPTION

FINISHES: White. Custom colour on request.
 LUMEN OUTPUT: 1800lm
 POWER: 30W
 INPUT: 240V
 ADJUSTABILITY: Adjustable
 IP RATING: IP20
 CUT OUT: Surface Mounted
 DEPTH: N/A
 DIMMABLE: Yes
 CRI: 95



Piccolo Range



STEP LIGHTS

Gorgeous range of lights, requires no fixing.
Made of solid brass, copper or stainless steel.

PICCOLO 20 P1

PRODUCT DESCRIPTION


FINISHES: Brass, Copper, Stainless Steel
LUMEN OUTPUT: 84lm
POWER: 1W
INPUT: DC 12V
ADJUSTABILITY: Fixed
IP RATING: IP67
CUT OUT: Ø20mm. To be installed in a 20mm grey conduit
DEPTH: 35mm. Allow 10mm more
DIMMABLE: In Dali Only
CRI: 90



PICCOLO 20 WITH HAT P2

PRODUCT DESCRIPTION


FINISHES: Brass, Copper, Stainless Steel
LUMEN OUTPUT: 84lm
POWER: 1W
INPUT: DC 12V
ADJUSTABILITY: Fixed
IP RATING: IP67
CUT OUT: Ø20mm. To be installed in a 20mm grey conduit
DEPTH: 35mm. Allow 10mm more
DIMMABLE: In Dali Only
CRI: 90



PICCOLO 40 P4

PRODUCT DESCRIPTION


FINISHES: Brass, Copper, Stainless Steel
LUMEN OUTPUT: 120lm
POWER: 3W
INPUT: DC 12V
ADJUSTABILITY: Fixed
IP RATING: IP67
CUT OUT: Ø35mm. To be installed in a 40mm grey conduit
DEPTH: 25mm. Allow 10mm more
DIMMABLE: In Dali Only
CRI: 90



PICCOLO 40 WITH HAT P5

PRODUCT DESCRIPTION


FINISHES: Brass, Copper, Stainless Steel
LUMEN OUTPUT: 120lm
POWER: 3W
INPUT: DC 12V
ADJUSTABILITY: Fixed
IP RATING: IP67
CUT OUT: Ø35mm. To be installed in a 40mm grey conduit
DEPTH: 25mm. Allow 10mm more
DIMMABLE: In Dali Only
CRI: 90



PICCOLO 40 WITH HOOD P7

PRODUCT DESCRIPTION


FINISHES: Brass, Copper, Stainless Steel
LUMEN OUTPUT: 120lm
POWER: 3W
INPUT: DC 12V
ADJUSTABILITY: Fixed
IP RATING: IP67
CUT OUT: Ø35mm. To be installed in a 40mm grey conduit
DEPTH: 25mm. Allow 10mm more
DIMMABLE: In Dali Only
CRI: 90



PICCOLO 40 EYE LID P3

PRODUCT DESCRIPTION

FINISHES: Brass, Copper, Stainless Steel
LUMEN OUTPUT: 120lm
POWER: 3W
INPUT: DC 12V
ADJUSTABILITY: Fixed
IP RATING: IP67
CUT OUT: Ø35mm. To be installed in a 40mm grey conduit
DEPTH: 25mm. Allow 10mm more
DIMMABLE: In Dali Only
CRI: 90



NEW  **Make Up Lighting Hollywood Range**

Ceiling Surface Mounted Lights

CYLINDER-D S24

PRODUCT DESCRIPTION


FINISHES: Black, White. Custom colour on request
 LUMEN OUTPUT: 1560lm
 POWER: 15W
 INPUT: 240V
 ADJUSTABILITY: Fixed
 IP RATING: IP20
 CUT OUT: Surface Mounted
 DEPTH: 160mm
 DIMMABLE: In Dali Only
 CRI: 95



AXIS SW17

PRODUCT DESCRIPTION


FINISHES: White, Black. Custom colour on request.
 LUMEN OUTPUT: 550lm
 POWER: 7W
 INPUT: 240V
 ADJUSTABILITY: Adjustable
 IP RATING: IP65
 CUT OUT: Surface Mounted
 DEPTH: 147mm
 DIMMABLE: Yes
 CRI: 95



MULTI SW4

PRODUCT DESCRIPTION

FINISHES: White, Grey. Custom colour on request.
 LUMEN OUTPUT: 320lm
 POWER: 5W
 INPUT: 240V
 ADJUSTABILITY: 180°
 IP RATING: IP54
 CUT OUT: Surface Mounted
 DEPTH: N/A
 DIMMABLE: Yes
 CRI: 95




Track Lighting

TRACK HEAD DALI TK2

PRODUCT DESCRIPTION

FINISHES: Black, White. Custom colour on request
 LUMEN OUTPUT: 1560lm
 POWER: 15W
 INPUT: 240V
 ADJUSTABILITY: Fixed
 IP RATING: IP20
 CUT OUT: Surface Mounted
 DEPTH: 160mm
 DIMMABLE: In Dali Only
 CRI: 95



TELESCOPIC TRACK TK3

PRODUCT DESCRIPTION

FINISHES: White, Black. Custom colour on request.
 LUMEN OUTPUT: 550lm
 POWER: 7W
 INPUT: 240V
 ADJUSTABILITY: Adjustable
 IP RATING: IP65
 CUT OUT: Surface Mounted
 DEPTH: 147mm
 DIMMABLE: Yes
 CRI: 95




Xternal Range

Advanced landscape lighting range that will last for years and suit many budgets

AX1

PRODUCT DESCRIPTION


FINISHES: Stainless Steel and Copper
 LUMEN OUTPUT: 500lm
 POWER: 2x 4W
 INPUT: 240V, 12V-24V on request
 ADJUSTABILITY: Fixed
 IP RATING: IP65
 CUT OUT: Surface Mounted
 DEPTH: Surface Mounted
 DIMMABLE: No
 CRI: 85



AX2

PRODUCT DESCRIPTION


FINISHES: Stainless Steel and Copper
 LUMEN OUTPUT: 250lm
 POWER: 4W
 INPUT: 240V, 12V-24V on request
 ADJUSTABILITY: Adjustable up and down
 IP RATING: IP65
 CUT OUT: Surface Mounted
 DEPTH: Surface Mounted
 DIMMABLE: No
 CRI: 85



AX3

PRODUCT DESCRIPTION


FINISHES: Antique Bronze and Stainless Steel
 LUMEN OUTPUT: 250lm
 POWER: 3W
 INPUT: 12V-24V
 ADJUSTABILITY: Fixed
 IP RATING: IP65
 CUT OUT: Surface Mounted
 DEPTH: 49mm
 DIMMABLE: No
 CRI: 85



AX7

PRODUCT DESCRIPTION


FINISHES: Antique Bronze
 LUMEN OUTPUT: 250lm
 POWER: 4W
 INPUT: 12V-24V
 ADJUSTABILITY: 90°
 IP RATING: IP65
 CUT OUT: N/A
 DEPTH: N/A
 DIMMABLE: No
 CRI: 85



AX11

PRODUCT DESCRIPTION


FINISHES: Antique Bronze and Copper
 LUMEN OUTPUT: 540lm
 POWER: 6W
 INPUT: 12V-24V
 ADJUSTABILITY: Fixed
 IP RATING: IP65
 CUT OUT: N/A
 DEPTH: N/A
 DIMMABLE: No
 CRI: 85



AX12

PRODUCT DESCRIPTION


FINISHES: Antique Bronze, Matt Black, Copper, Natural Brass and Brushed Chrome
 LUMEN OUTPUT: 250lm
 POWER: 4W
 INPUT: 12V-24V
 ADJUSTABILITY: Fixed
 IP RATING: IP65
 CUT OUT: Surface Mounted
 DEPTH: 40mm
 DIMMABLE: No
 CRI: 85



AX20

PRODUCT DESCRIPTION


FINISHES: Antique Bronze, Matt Black, Satin Chrome
 LUMEN OUTPUT: 300lm
 POWER: 3W, 6W on request
 INPUT: 12V-24V
 ADJUSTABILITY: Fixed
 IP RATING: IP67
 CUT OUT: Ø50-55mm
 DEPTH: 92mm. Allow 10mm more
 DIMMABLE: No
 CRI: 85



AX21

PRODUCT DESCRIPTION

FINISHES: Antique Bronze
 LUMEN OUTPUT: 250lm
 POWER: 4W
 INPUT: 12V - 24V
 ADJUSTABILITY: 90°
 IP RATING: IP65
 CUT OUT: Surface Mounted
 DEPTH: Surface Mounted
 DIMMABLE: No
 CRI: 85



Continuum Range


LED PROFILES/STRIPS

High powered LED strips with no dotting.
CRI 95

G04 DEEP

PRODUCT DESCRIPTION


FINISHES: Aluminium. Custom colour on request
ADJUSTABILITY: Fixed
CUT OUT: See line drawing and add 2mm for allowance
DEPTH: 15mm
DIMMABLE: Yes in 0-10 or Dali
CRI: 95



G06 SINGLE

PRODUCT DESCRIPTION


FINISHES: Aluminium. Custom colour on request
ADJUSTABILITY: Fixed
CUT OUT: See line drawing and add 2mm for allowance
DEPTH: 16mm
DIMMABLE: Yes in 0-10 or Dali
CRI: 95



G04 MEDIUM

PRODUCT DESCRIPTION


FINISHES: Aluminium. Custom colour on request
ADJUSTABILITY: Fixed
CUT OUT: See line drawing and add 2mm for allowance
DEPTH: 12mm
DIMMABLE: Yes in 0-10 or Dali
CRI: 95



G07

PRODUCT DESCRIPTION


FINISHES: Aluminium. Custom colour on request
ADJUSTABILITY: Fixed
CUT OUT: See line drawing and add 2mm for allowance
DEPTH: 45mm
DIMMABLE: Yes in 0-10 or Dali
CRI: 95



G05 SHALLOW

PRODUCT DESCRIPTION


FINISHES: Aluminium. Custom colour on request
ADJUSTABILITY: Fixed
CUT OUT: See line drawing and add 2mm for allowance
DEPTH: 8mm
DIMMABLE: Yes in 0-10 or Dali
CRI: 95



G09

PRODUCT DESCRIPTION

FINISHES: Aluminium body and Opal diffuser. Custom colour on request.
ADJUSTABILITY: Fixed
CUT OUT: Surface Mounted
DIMMABLE: Yes in 0-10 or Dali
CRI: 95




For full range of LED profiles and strips please refer to www.lalounge.com.au

Miniature Lights

LED BAR N4

PRODUCT DESCRIPTION


FINISHES: Black
 LUMEN OUTPUT: 55lm
 POWER: 2W
 INPUT: DC 12V
 ADJUSTABILITY: Fixed
 IP RATING: IP67
 CUT OUT: Surface Mounted
 DEPTH: 4mm
 DIMMABLE: Yes in Dali
 CRI: 90



HIGH INTENSITY N3

PRODUCT DESCRIPTION


FINISHES: Black
 LUMEN OUTPUT: 120lm
 POWER: 3W
 INPUT: DC 12V
 ADJUSTABILITY: Fixed
 IP RATING: IP67
 CUT OUT: Surface Mounted
 DEPTH: 27mm
 DIMMABLE: Yes in Dali
 CRI: 95



BUTTON J1

PRODUCT DESCRIPTION


FINISHES: White, Aluminium
 LUMEN OUTPUT: 60lm
 POWER: 1W
 INPUT: 350mA
 ADJUSTABILITY: Fixed
 IP RATING: IP65
 CUT OUT: Ø19mm
 DEPTH: 34mm. Allow 10mm more
 DIMMABLE: Yes in Dali
 CRI: 95



JEWEL J2

PRODUCT DESCRIPTION

FINISHES: Aluminium
 LUMEN OUTPUT: 60lm
 POWER: 1W
 INPUT: 350mA
 ADJUSTABILITY: Adjustable
 IP RATING: IP20
 CUT OUT: Ø30mm
 DEPTH: 30mm. Allow 10mm more
 DIMMABLE: Yes in Dali
 CRI: 95



Knife Ceiling System

KNIFE





An 'In-plaster' continuous linear slot system. Knife detail is used to seamlessly light a vertical wall that appears as a shadow line giving a minimum visual impact to the room.

Can be mounted at the edge of the ceiling lighting system to create a fine line of light and illuminate the upper wall whilst also illuminating a surface below.

Due to its concealed design, it greatly compliments a minimalistic or sleek, modern space, providing a wash on walls such as in hallways and feature walls in living spaces.

It can also be used to hide exhaust fans and incorporate light in bathrooms.

A soft, ambient light, an unique alternative for spaces rather than using regular ceiling lights or lamps. This can help to create the illusion of a higher ceiling or increase depth perception of a room and allow textural walls to disappear UP into the Knife detail.



Controllers

LA Lounge has a full range of Dali and LED controllers



Digital Addressable Lighting Interface

For enquires please contact the office.



Art Lighter

Perfect for framing pieces of art

Coming soon

FRIDA
ART LIGHTER
SW24



Hide and Seek

Coming soon

Hide and Seek is a complete range of flush mounting solutions for all lighting and electrical equipment

- In-set plaster recessed system for exhaust fan and light source specially designed for bathrooms and shower areas.
- In-set plaster recessed system for smoke detectors
- In-set plaster recessed system for switches
- In-set plaster recessed system for GPOs
- In-set plaster recessed system for speakers

www.lalounge.com.au



HEAD OFFICE

2/9 Apollo St
Warriewood, NSW 2102
1300 331 529
info@lalounge.com.au

SHOWROOM

by appointment only
11-12b, 287 Military Road,
Cremorne, NSW 2090